



PUMP PERFORMANCE



ACTIVE PRESSURE SYSTEMS

Made up of 9 models from **4 to 12 taps**, automatic pumps for domestic, civil, rural and industrial use.

Each electric pump has a built in, easy to install and ready for use control device. Active Pressure Systems do not require any type of maintenance or adjustment whatsoever.

2 Year DAB Pump Warranty Parts & Labour

***OPTIONAL 6 Year DAB Pump Extended Warranty**

AF

DAB PUMPS Definitely Australia's Best....

Model	Type	Taps	Max. Flow	Max. Head	RRP inc.GST
Self Priming Stainless Steel Jet Pressure Systems					
DAB-ACTIVEJINOX62M	S/Steel	4	45 l/min	421 kPa	\$
DAB-ACTIVEJINOX82M	S/Steel	6	60 l/min	462 kPa	\$
DAB-ACTIVEJINOX102M	S/Steel	6	60 l/min	531 kPa	\$
DAB-ACTIVEJINOX112M	S/Steel	6	58 l/min	588 kPa	\$
DAB-ACTIVEJINOX132M	S/Steel	8	82 l/min	476 kPa	\$
Self Priming Stainless Steel Multistage Pressure Systems					
DAB-ACTIVEEINOX25/30M	S/Steel	5	55 l/min	338 kPa	\$
DAB-ACTIVEEINOX30/50M	S/Steel	8	80 l/min	414 kPa	\$
DAB-ACTIVEEINOX40/50M	S/Steel	10	80 l/min	579 kPa	\$
DAB-ACTIVEEINOX40/80M	S/Steel	12	120 l/min	579 kPa	\$

Compact design, IP55 weather proof integrated cover built-in pressure gauge, TEFC air gap motor, operation status LED's quick and easy interface with electrical and hydraulic circuits cover for connection to optional remote alarm, unique multi direction 25mm (1" BSP) delivery connection with built in check valve.

Available from



Distributed by White International Pty Ltd
Sales Hotline 1300 783 601 www.dabpumpsaustralia.com.au

AB IMG0350WI 02/09

COVER your pump from the elements....



PUMP PERFORMANCE



KPS/KPF PERIPHERAL TURBINE AUTOMATIC PRESSURE SYSTEMS

Non self priming, ideal for above ground water tanks.
Suitable for potable clean water, industrial and domestic applications.
Suited to high head, low flow applications. Fitted with electronic
controller with built in loss of prime protection.


2 Year DAB Pump Warranty Parts & Labour

****OPTIONAL 6 Year DAB Pump Extended Warranty***

BF

DAB PUMPS Definitely Australia's Best....

Model	Type	Taps	Max. Flow	Max. Head	RRP inc.GST
Peripheral Turbine ELECTRONIC Pressure System					
DAB-KPS30-16MPCX	Cast	2	36 l/min	318 kPa	\$
DAB-KPF30-16MPCX	Cast	2	36 l/min	318 kPa	\$



Available from



Distributed by White International Pty Ltd
 Sales Hotline 1300 783 601 www.dabpumpsaustralia.com.au

BB IMG0350WI 02/09

COVER your pump from the elements....



PUMP PERFORMANCE



62MPCX



62MP/8V



CAST IRON SELF PRIMING PRESSURE SYSTEMS

Made up of 8 models from **4 to 8 taps**, able to lift water up to 9m, cast iron, hygienic and reliable. **MP fitted with Pressure Tanks** - includes fully adjustable pressure switch, pressure gauge and brass non-return valve and fittings. Reduces running costs due to short starts and is ideal for evaporative air conditioners.

MPCX Electronic - Fitted with electronic controller with built in loss of prime protection.

2 Year DAB Pump Warranty Parts & Labour

***OPTIONAL 6 Year DAB Pump Extended Warranty**

CF

DAB PUMPS Definitely Australia's Best...

Model	Type	Taps	Max. Flow	Max. Head	RRP inc.GST
Self Priming Cast Iron Pressure Systems fitted with Pressure Tanks					
DAB-62MP/8V	Cast	4	50 l/min	418 kPa	\$
DAB-82MP/8V or 18V	Cast	6	60 l/min	460 kPa	\$
DAB-102MP/8V or 18V	Cast	6	60 l/min	526 kPa	\$
DAB-132MP/18V	Cast	8	80 l/min	472 kPa	\$
Self Priming Cast Iron ELECTRONIC Pressure Systems					
DAB-62MPCX	Cast	4	50 l/min	418 kPa	\$
DAB-82MPCX	Cast	6	60 l/min	460 kPa	\$
DAB-102MPCX	Cast	6	60 l/min	526 kPa	\$
DAB-132MPCX	Cast	8	80 l/min	472 kPa	\$

MP Pressure Systems fitted with an ENERGY SAVING GWS Pressure Wave Tank
 FDA approved food grade butyl membrane &
 5 Year GWS replacement tank guarantee.



2 YEAR DAB PUMP WARRANTY* Parts & Labour

***OPTIONAL 6 Year DAB Pump Extended Warranty**



Available from



Distributed by White International Pty Ltd

Sales Hotline 1300 783 601 www.dabpumpsaustralia.com.au

Watermark Approval applies to PressureWave Tanks. ATS:5200.485-2006. License No: 60044

CB IMG0350WI 02/09

COVER your pump from the elements....



PUMP PERFORMANCE



JINOX62MPCX



JINOX82MP/18V



STAINLESS STEEL SELF PRIMING PRESSURE SYSTEMS

Made up of 8 models from **4 to 8 taps**, able to lift water up to 9m, stainless steel pump body for bacteria and corrosion resistance. Brass non return valve and fittings for strength and durability. **MP fitted with Pressure Tanks** - includes fully adjustable pressure switch. Reduces running costs due to short starts.

MPCX Electronic - Fitted with electronic controller.

2 Year DAB Pump Warranty Parts & Labour

***OPTIONAL 6 Year DAB Pump Extended Warranty**

DF

DAB PUMPS Definitely Australia's Best....

Model	Type	Taps	Max. Flow	Max. Head	RRP inc.GST
Stainless Steel Self Priming Pressure System fitted with Pressure Tanks					
DAB-JINOX62MP/8V	S/Steel	4	50 l/min	418 kPa	\$
DAB-JINOX82MP/8V	S/Steel	6	60 l/min	460 kPa	\$
DAB-JINOX102MP/8V or 18V	S/Steel	6	60 l/min	526 kPa	\$
DAB-JINOX112MP/8V or 18V	S/Steel	6	60 l/min	587 kPa	\$
DAB-JINOX132MP/8V or 18V	S/Steel	8	80 l/min	472 kPa	\$
Stainless Steel Self Priming ELECTRONIC Pressure System					
DAB-JINOX62MPCX	S/Steel	4	50 l/min	418 kPa	\$
DAB-JINOX82MPCX	S/Steel	6	60 l/min	460 kPa	\$
DAB-JINOX102MPCX	S/Steel	6	60 l/min	526 kPa	\$
DAB-JINOX112MPCX	S/Steel	6	60 l/min	587 kPa	\$
DAB-JINOX132MPCX	S/Steel	8	80 l/min	472 kPa	\$

MP Pressure Systems fitted with an ENERGY SAVING GWS Pressure Wave Tank
 FDA approved food grade butyl membrane &
 5 Year GWS replacement tank guarantee.



2 YEAR DAB PUMP WARRANTY* Parts & Labour
***OPTIONAL 6 Year DAB Pump Extended Warranty**



Available from



Distributed by White International Pty Ltd
 Sales Hotline 1300 783 601 www.dabpumpsaustralia.com.au

Watermark Approval applies to PressureWave Tanks. ATS:5200.485-2006. License No: 60044

DB IMG0350W1 02/09

COVER your pump from the elements....



PUMP PERFORMANCE



EUROINOX40/80MPCX



EUROINOX
40/80MP/18V

EUROINOX STAINLESS STEEL SELF PRIMING HORIZONTAL MULTISTAGE PUMPS

Made up of 6 models from **5 to 12 taps**, stainless steel pump body for bacteria and corrosion resistance. Brass non return valve and fittings for strength and durability.

MP fitted with Pressure Tanks - includes fully adjustable pressure switch. Reduces running costs due to short starts.

MPCX Electronic - Fitted with electronic controller.

2 Year DAB Pump Warranty Parts & Labour

***OPTIONAL 6 Year DAB Pump Extended Warranty**

11

DAB PUMPS Definitely Australia's Best...

Model	Type	Taps	Max. Flow	Max. Head	RRP inc.GST
Euroinox S/Steel Jet Pressure Systems fitted with Pressure Tanks					
DAB-EUROINOX30/30MP/8V	S/Steel	5	55 l/min	450 kPa	\$
DAB-EUROINOX30/50MP/8V	S/Steel	8	80 l/min	413 kPa	\$
DAB-EUROINOX40/80MP/18V	S/Steel	12	120 l/min	577 kPa	\$
Euroinox S/Steel Jet ELECTRONIC Pressure Systems					
DAB-EUROINOX30/30MPCX	S/Steel	5	55 l/min	450 kPa	\$
DAB-EUROINOX30/50MPCX	S/Steel	8	80 l/min	413 kPa	\$
DAB-EUROINOX40/80MPCX	S/Steel	12	120 l/min	577 kPa	\$

Unique self priming design makes these pumps ideal for long suctions and large homes.

Emits less noise, making them ideal for all high density urban applications.

MP Pressure Systems fitted with an ENERGY SAVING GWS Pressure Wave Tank
 FDA approved food grade butyl membrane &
 5 Year GWS replacement tank guarantee.



2 YEAR DAB PUMP WARRANTY* Parts & Labour
***OPTIONAL 6 Year DAB Pump Extended Warranty**



Available from



Distributed by White International Pty Ltd
 Sales Hotline 1300 783 601 www.dabpumpsaustralia.com.au

Watermark Approval applies to PressureWave Tanks. ATS:5200.485-2006. License No: 60044

EB IMG0350WI 02/09

COVER your pump from the elements....



PUMP PERFORMANCE



ELECTRONIC JETCOM PRESSURE SYSTEM

Self priming centrifugal pumps with incorporated ejector. Optimum suction capability even in the presence of air bubbles.

Suitable for water supply applications with suction wells, water supply and boosting of domestic systems, agricultural and gardening applications.

2 Year DAB Pump Warranty Parts & Labour

***OPTIONAL 6 Year DAB Pump Extended Warranty**

FF

DAB PUMPS Definitely Australia's Best....

Model	Type	Taps	Max. Flow	Max. Head	RRP inc.GST
ELECTRONIC Jetcom Pressure System					
DAB-JETCOM62MPCX	T/Polymer	4	50 l/min	418 kPa	\$
DAB-JETCOM82MPCX	T/Polymer	4	60 l/min	460 kPa	\$
DAB-JETCOM102MPCX	T/Polymer	6	60 l/min	526 kPa	\$

Adjustment Rings: Stainless Steel

Mechanical Seal: Carbon / Ceramic

Seal Disc: Stainless Steel

Motor Support: Die-Cast Aluminium

2 YEAR DAB PUMP WARRANTY* Parts & Labour

***OPTIONAL 6 Year DAB Pump Extended Warranty**

PROTECT YOUR PUMP FROM THE ELEMENTS
COVER YOUR PUMP

To extend the working life of your pump cover your pump from the elements. Refer to the DAB warranty terms and conditions. Pump covers sold separately.



Available from

Distributed by White International Pty Ltd
Sales Hotline 1300 783 601 www.dabpumpsaustralia.com.au

COVER your pump from the elements....



PUMP PERFORMANCE



KVCX VARIABLE SPEED PRESSURE SYSTEM

The KVCX vertical multistage pump is suitable for use in small to medium water supply installations.

Designed for pressure boosting on mains, irrigation, dairy washdown, factory, and for commercial and domestic water supply, dust suppression systems.

Pump includes the Active Driver device, an innovative variable speed electric pump integrated control system, capable of maintaining the constant pressure in relation to the varied flow rates.

2 Year DAB Pump Warranty Parts & Labour

CE

DAB PUMPS Definitely Australia's Best....

Model	Taps	Max. Flow	Max. Head	RRP inc.GST
KVCX Variable Speed Pressure Systems fitted with ActiveDriver MM1.1				
DAB-KVCX35/30AD with ActiveDriverMM1.1	5	55 l/min	446 kPa	\$
DAB-KVCX50/30AD with ActiveDriverMM1.1	5	55 l/min	683 kPa	\$
DAB-KVCX30/50AD with ActiveDriverMM1.1	8	80 l/min	402 kPa	\$
DAB-KVCX55/50AD with ActiveDriverMM1.1	8	80 l/min	672 kPa	\$
DAB-KVCX30/80AD with ActiveDriverMM1.1	12	120 l/min	456 kPa	\$
DAB-KVCX45/80AD with ActiveDriverMM1.1	12	120 l/min	698 kPa	\$
DAB-KVCX35/120AD with ActiveDriverMM1.1	20	200 l/min	458 kPa	\$

Pumps are supplied with ACTIVE DRIVER MM 1.1 controller kit loose including barrel unions complete with “plug and play” leads.

Innovative modern design, easy and rapid maintenance flexibility, suitable for various pump types, high performance, all components in contact with drinkable water are completely stainless steel, robust construction, features inline suction and discharge parts, integrated air degassing system.

2 YEAR DAB PUMP WARRANTY* Parts & Labour

Available from

Distributed by White International Pty Ltd
Sales Hotline 1300 783 601 www.dabpumpsaustralia.com.au

GB IMG0350W1 02/09

COVER your pump from the elements....



PUMP PERFORMANCE



KVCX ELECTRONIC PRESSURE SYSTEM

The KVCX vertical multistage pump is suitable for use in small to medium water supply installations.

Designed for pressure boosting on mains, irrigation, dairy washdown, factory, and for commercial and domestic water supply, dust suppression systems.

2 Year DAB Pump Warranty Parts & Labour

***OPTIONAL 6 Year DAB Pump Extended Warranty**

HF

DAB PUMPS Definitely Australia's Best....

Model	Taps	Max. Flow	Max. Head	RRP inc.GST
KVCX Variable Speed Pressure Systems fitted with electronic control				
DAB-KVCX35/30MPCX with SK10 Control	5	55 l/min	446 kPa	\$
DAB-KVCX50/30MPCX with SK10 Control	5	55 l/min	683 kPa	\$
DAB-KVCX70/30MPCX with SK10 Control	5	55 l/min	930 kPa	\$
DAB-KVCX30/50MPCX with SK10 Control	8	80 l/min	402 kPa	\$
DAB-KVCX55/50MPCX with SK10 Control	8	80 l/min	672 kPa	\$
DAB-KVCX75/50MPCX with SK10 Control	8	80 l/min	940 kPa	\$

Pumps are supplied with SK10 Automatic Controller kit loose including barrel unions complete with "plug and play" leads.

Innovative modern design, easy and rapid maintenance flexibility, suitable for various pump types, high performance, all components in contact with drinkable water are completely stainless steel, robust construction, features inline suction and discharge parts, integrated air degassing system.

2 YEAR DAB PUMP WARRANTY* Parts & Labour

***OPTIONAL 6 Year DAB Pump Extended Warranty**

Available from

Distributed by White International Pty Ltd
Sales Hotline 1300 783 601 www.dabpumpsaustralia.com.au

HB IMG0350WI 02/09

COVER your pump from the elements....

DAB

PUMP PERFORMANCE



DAB
6 YEAR
EXTENDED
WARRANTY*
OPTIONAL

KVCX PRESSURE SYSTEM

The KVCX vertical multistage pump is suitable for use in small to medium water supply installations.

Designed for pressure boosting on mains, irrigation, dairy washdown, factory, and for commercial and domestic water supply, dust suppression systems.

2 Year DAB Pump Warranty Parts & Labour

***OPTIONAL 6 Year DAB Pump Extended Warranty**

IF

DAB PUMPS Definitely Australia's Best...

Model	Taps	Max. Flow	Max. Head	RRP inc.GST
KVCX Variable Speed Pressure Systems fitted				
DAB-KVCX35/30MP1/18V	5	55 l/min	380 kPa	\$
DAB-KVCX50/30MP2/18V	5	55 l/min	590 kPa	\$
DAB-KVCX70/30MP3/18V	5	55 l/min	800 kPa	\$
DAB-KVCX30/50MP1/18V	8	80 l/min	380 kPa	\$
DAB-KVCX55/50MP2/18V	8	80 l/min	590 kPa	\$
DAB-KVCX75/50MP3/18V	8	80 l/min	800 kPa	\$
DAB-KVCX30/80MP1/18V	12	120 l/min	380 kPa	\$
DAB-KVCX45/80MP2/18V	12	120 l/min	590 kPa	\$
DAB-KVCX55/80MP3/18V	12	120 l/min	800 kPa	\$
DAB-KVCX35/120MP1/18V	20	200 l/min	380 kPa	\$
DAB-KVCX45/120MP1/18V	20	200 l/min	590 kPa	\$

Pumps are supplied with PRE-SET pressure system kit loose including barrel unions complete with “plug and play” leads.

Innovative modern design, easy and rapid maintenance flexibility, suitable for various pump types, high performance, robust construction, integrated air degassing system, all components in contact with drinkable water are completely stainless steel, features inline suction and discharge parts.

Available from

Distributed by White International Pty Ltd

Sales Hotline 1300 783 601 www.dabpumpsaustralia.com.au

Watermark Approval applies to PressureWave Tanks. ATS:5200.485-2006. License No: 60044

COVER your pump from the elements....



PUMP PERFORMANCE



SUBMERSIBLE DRAINAGE PUMPS & VORTEX PUMPS

Nova Pumps for grey water and drainage applications, non-abrasive, solids to 10mm. Fully repairable design and construction for long life and reliability.

Feka Vortex Pump for soft solids to 25mm.

Max Flow from 75 l/min to 265 l/min.

Max head from 4.8m to 10.2m

2 Year DAB Pump Warranty Parts & Labour

JF

DAB PUMPS Definitely Australia's Best....

Model	KW	HP	Max. Flow	Max. Head	RRP inc.GST
NOVA PUMPS & NOVA BOX					
DAB-NOVA180A	0.20	0.28	75	4.8	\$
DAB-NOVA300A	0.22	0.3	200	6.8	\$
DAB-NOVA600A	0.55	0.75	265	10.2	\$
DAB-NOVABOX30-300M	0.22	0.3	120	6.9	\$
FEKA 'VORTEX' PUMP					
DAB-FEKA600A	0.55	0.75	265	7.45	\$

Under Basin Tub & GREY WATER 30 Litre NOVABOX with NOVA300A pump fitted

Pump is suitable for flow rates from 16 l/min to 120 l/min with heads up to 6 metres. Novabox is suitable for water temperatures up to 50°C normal operation and up to 90°C for 3 minutes.




Reinforced inert plastic body: non-corrosive for long life, built in rigid float activated automatic, switch factory set for reliable operation, eliminates float cable failure. Repairable: longer service life, stainless steel shaft and screws: corrosion resistant for longer life, ball bearings: for longer life and quiet operation, ground rotor shaft, triple lip seals in oil chamber, longer seal and pump life, 240V automatic, 10m cable.

Available from

Distributed by White International Pty Ltd
Sales Hotline 1300 783 601 www.dabpumpsaustralia.com.au

COVER your pump from the elements....



PUMP PERFORMANCE



251MP/60H



300MP/80V

FARM (DAIRY) & COMMERCIAL PRESSURE SYSTEMS

Suitable for pressure boosting, irrigation, wash-down applications. Designed for pumping from tanks, rivers and dams. These pumps are very reliable in the toughest of environments.

Fully adjustable industrial quality IP56 pressure switch and gauge.

Twin Stage Jet Assisted Pumps - suitable for suction depths up to 8 metres.

2 Year DAB Pump Warranty Parts & Labour

KF

DAB PUMPS Definitely Australia's Best....

Model	Type	Taps	Max. Flow	Max. Head	RRP inc.GST
CAST IRON Twin Stage Jet Assisted Pumps					
DAB-151M/MP	Cast	8	79 l/min	620 kPa	\$
DAB-251M/MP	Cast	12	120 l/min	627 kPa	\$
CAST IRON Single Stage Jet Assisted Pumps					
DAB-200M/MP	Cast	18	185 l/min	407 kPa	\$
DAB-300M/MP	Cast	19	190 l/min	510 kPa	\$

We recommend the following GWS pressure tanks to be used with the above pump models, 60V/H, 80V & 100V complete with connection kits.

MP Pressure Systems fitted with an ENERGY SAVING GWS Pressure Wave Tank
 FDA approved food grade butyl membrane &
 5 Year GWS replacement tank guarantee.



2 YEAR DAB PUMP WARRANTY* Parts & Labour



Available from



Distributed by White International Pty Ltd
 Sales Hotline 1300 783 601 www.dabpumpsaustralia.com.au

Watermark Approval applies to 8 to 60 Litre PressureWave Tanks only. ATS:5200.485-2006. License No: 60044

KB IMG0350WI 02/09

COVER your pump from the elements....